


REV.	DATE	BY-CHKD	REVISIONS
B	11 NOV 94	DAZ	PRN: E5-15
C	03 DEC 98	MJS	PRN: E5-62
D	31 MAR 2020	CMS MTS	PRN: P2020-0598
E	14 DEC 2021	CMS MBT	PRN: P2021-2421

SEE DRAWING J-E5-1 FOR PART DETAILS AND INSTALLATION INSTRUCTIONS.


TO DETERMINE THE CORRECT PART NUMBER FOR YOUR APPLICATION:

ASSEMBLED AND PACKAGED LATCH (WILL ONLY INSTALL IN PANELS 1mm TO 6mm THICK, AND GRIP MUST BE AT LEAST 4mm GREATER THAN PANEL THICKNESS)



UNASSEMBLED LATCH / COMPONENTS SHIPPED SEPARATELY (REQUIRED FOR PANELS GREATER THAN 6mm THICK)  
 ONE HOUSING, ONE DRIVE STUD, AND ONE PAWL/HARDWARE PACKAGE REQUIRED FOR A COMPLETE ASSEMBLY

HOUSING:



HOUSING STYLE  
 1 = HOUSING I (FOR PANELS 1 TO 6mm THICK AND GRIP 0 TO 20mm)  
 2 = HOUSING II (FOR PANELS 1 TO 14mm THICK AND GRIP 6 TO 28mm)

DRIVE STUD:



DRIVE STUD STYLE  
 1 = FOR USE WITH HOUSING I  
 2 = FOR USE WITH HOUSING II

ACTUATION STYLE (SEE BELOW)

FINISH  
 1 = TEXTURED CHROME PLATE  
 5 = BLACK POWDER COAT

PAWL/HARDWARE PACKAGE: E5-P-YYZ

PAWL TYPE (SEE BELOW)

SEALING OPTION  
 0 = NO O-RING OR SEALING WASHER  
 1 = O-RING AND SEALING WASHER INCLUDED FOR IP-65/NEMA 12 RATING

ACTUATION STYLE				PAWL TYPE			
		GRIP (mm)					
		WHEN USING HOUSING I	WHEN USING HOUSING II	YY			
	00	DO NOT USE	6	00			
	01		8	01			
	02		10	02			
	03		12	03			
	04		14	04			
	05		16	05			
			18	06			
			20	07			
			22	08			
			24	09			
			26	10			
			28	11			